

DUTAI WIRE MESH EXPORT CO.,LTD

——CATALOG

镀泰丝网制品有限公司

ABOUT US

Shunfeng Hardware products Co., Limited (Newstrong Global Service Inc.) are mainly manufacture fence post for all over the world's farm. More than 5 years experience to export all of fence post.

And other farm parts: field fence/barbed wire/galvanized wire/
fence post accessories/razor wire/post
caps/post driver etc.

The equipment, we have automatic production line at workshop
Stamping equipment, stoving varnish equipment line, the material production line.

It is very important that we have professional team to service for you
Everyone could give best service and advice at your country,
which kinds of fence suit for you.

Company Purpost: making perfect quality and professional service
for any customer

Our market: America, Canada, Australia , Thailand, New zealand,
Middle East, Europe, Belize, Chile, Africa etc.

Fence Y Post




NORMAL Y POST

-Our Star Pickets are designed for long life and regular use

weight kgs/m	Surface treatment	Post hole For AU.	Post hole For N.Z.	Posts/ bundle	Posts/ Pallet
1.86/1.9/2.04	Black tar/galvanized	3		10	200/400
1.86/1.9/2.04	Black tar/galvanized	5		10	200/400
1.58/1.86/1.9/2.04	Black tar/galvanized	11	7	10	200/400
1.58/1.86/1.9/2.04	Black tar/galvanized	14	7	10	200/400
1.58/1.86/1.9/2.04	Black tar/galvanized	14	7	10	200/400
1.58/1.86/1.9/2.04	Black tar/galvanized	14	8	10	200/400
1.58/1.86/1.9/2.04	Black tar/galvanized	7		10	200/400
1.58/1.86/1.9/2.04	Black tar/galvanized	7		10	200/400

Fence T Post

Fence T post also know as T-post can easily be drivern into the ground using a post driver make especially for the job. Once your poles are places, you simple attached the once material to the post with metal clips.



Studded T Post Raw Specification for silf fence

Post	weight lbs./ft.	Size ft.	Color	Coating	Spade	Spade hole	Posts/ bundle	Posts/ Pallet
Light weight	0.85	4'-10'	Matieral Original	None	None	2 or 3	5	200
	0.95	4'-10'	Green/red & Cream	Enamel	Yes/No	2 or 3	5	200
Heavy weight	1.25	4'-10'	Green/red & Cream	Enamel	Yes/No	2 or 3	5	200
	1.33	4'-10'	Green/red & Cream	Enamel	Yes/No	2 or 3	5	200
	1.5	4'-10'	Green/red & Cream	Enamel	Yes/No	2 or 3	5	200

Accessories: CLips



Fence Oval Steel Wire



USES

- Lawn and garden fencing
- Fencing Support
- Home improvements

SPECIFICATION

- Wire Dia.: 1mm - 5mm
- Coil Weight: 50kgs, 100kgs per coil
- Packing: 4 Ties
- Accept special order

Field Fence Wire




Hinge Joint Fence/wire

Australia standards: 2.5mm, 2.2mm, 2.0mm

Code	Line Wire / Height (cm) / Spacing (cm)	Coil Length
H01	6 * 70 * 30	50m/100m/200m
H02	6 * 90 * 30	50m/100m/200m
H03	7 * 90 * 30	50m/100m/200m
H04	8 * 90 * 30	50m/100m/200m
H05	8 * 80 * 15	50m/100m/200m
H06	8 * 90 * 15	50m/100m/200m
H07	8 * 115 * 15	50m/100m
H08	8 * 115 * 30	50m/100m
H09	11 * 142 * 15	50m/100m
H10	13 * 115 * 15	50m/100m


Accept Specificail Order



Hinge joint knot



Barbed Wire



Type	Gauge	Barbed distance	Barbd Wire	Twist
Electric Galvanized Hot dipped Glvanized	10 * 12	7.5-15cm	1.5-3cm	Double twist Single twist
	12 * 12			
	12 * 14			
	14 * 14			
	14 * 16			
	16 * 16			
	16 * 18			
Accept Customer Special order				

Razor Wire



USES

- Cattle and livestock fencing
- Landing fencing and protection
- Home security fencing aid
- Airport and prison

Reference Number	Thickness	Wire Dia.	Blade Length	Blade Width	Blade Spacing
BTO-12	0.5±0.05	2.5±0.1	12±1	15±1	26±1
BTO-15	0.5±0.05	2.5±0.1	15±1	15±1	33±1
BTO-22	0.5±0.05	2.5±0.1	22±1	15±1	34±1
BTO-30	0.5±0.05	2.5±0.1	30±1	18±1	45±1
CBT-25	0.5±0.05	2.5±0.1	25±1	16±1	40±1
CBT-60	0.6±0.05	2.5±0.1	60±2	32±1	100±2
CBT-65	0.6±0.05	2.5±0.1	65±2	21±1	100±2

DUTAI WIRE MESH EXPORT CO.,LTD

Add: 3-2-1103 Hengshui City hebei Province

Tel: +86 158 0311 4155

Email: info@studdedtpost.com

DUTAI WIRE MESH EXPORT CO.,LTD

Add: 1-1-2602 shijiazhuang city, hebei Province

Whatsapp: +86 158 0311 4155

Eamil: sales@cndutai.com

